

Gira British Standard

The British Standard range from Gira is one of the largest available worldwide. All functions for intelligent building management can be integrated into it. This guarantees convenient, economical and secure living.

GIRA

Gira British Standard installation system Largest range, maximum diversity



British Standard switch,
3-gang ON/OFF
Gira Esprit, glass black/
colour aluminium



Surface-mounted home station video
Gira Esprit, glass black/colour aluminium



British Standard socket outlet,
1-gang, can be switched off,
with LED control light, Gira Esprit,
glass black/colour aluminium



Gira surface-mounted home station video,
colour aluminium,
Gira Esprit, aluminium black

Gira switch, 3-gang/ON-OFF,
colour aluminium,
Gira Esprit, aluminium black




Gira RDS flush-mounted radio, colour aluminium
Gira Esprit, glass black



Gira safety-razor socket outlet British Standard
Gira Esprit, glass C white



Gira push button sensor 3 plus
Gira Event Clear, sand



British Standard 2-gang socket outlet,
can be switched off,
with LED control light, anthracite
Gira Esprit, aluminium



British Standard switch, 3-gang ON/OFF,
pure white glossy
ClassiX, Brass/brass




























British Standard socket outlet, 1-gang, can be switched off, with LED control light, anthracite Gira Esprit, chrome



British Standard switch, 2-pole with LED control light
Gira E22 Stainless Steel

Future-oriented technology and flexible solutions, combined with high quality of design: that's what intelligent building technology from Gira stands for. Automatic light control, time-dependent temperature control, distribution of music in all rooms, convenient door communication, integration of security systems and much more besides: the British Standard range from Gira is one of the largest available worldwide, and makes all required and desired functions available today. The extensive assortment ranges from socket outlets, dimmers, rocker and push switches to inserts for control of blinds, air-conditioning, door communication, the Gira KNX/EIB system, and the radio bus system. All products of the British Standard core assortment comply with the inspection criteria of the "British Standard" Institute for Standardisation.

The new “British Standard” range from Gira complies with the inspection criteria of the “British Standard” Institute for Standardisation. The range features over 17 new functions that can be integrated into the typically square “British Standard” box and over 13 new functions that can be integrated into the round flush-mounted box. The “British Standard” functions are available in two different support ring versions: for installation in the round flush-mounted box, functions with a 71 mm support ring are required, while with the square “British Standard” box only functions with an 80 mm support ring can be integrated. A special 80 mm adapter support ring is required for the installation of common System 55 functions in the square “British Standard” box. The spectrum of “British Standard” functions matches the Gira System 55 and E 22 switch ranges: the Event, Esprit, ClassiX and E 22 ranges are available with use of the “British Standard” box, with installation in the round flush-mounted box the Standard 55, E2, Event, Esprit, ClassiX, E 22 ranges, and F 100 with the use of a special intermediate plate.

	Square “British Standard” box			Round flush-mounted box				
Flush-mounted boxes	 1-gang	 2-gang	 1-gang  80 mm adapter support ring*	 up to 5-gang				
Functions	 British Standard with 80 mm support ring (a total of 13 functions)	 British Standard with 80 mm support ring (a total of 4 functions)	 System 55 with 71 mm support ring (a total of over 280 functions)	 British Standard with 71 mm support ring (a total of 13 functions)	 System 55 with 71 mm support ring (a total of over 280 functions)			
Usable frames	 1-gang	 2-gang (no central bar)	 1-gang	 1-gang up to 5-gang** inclusive 2-gang frame without central bar				
Switch ranges	 Event	 Esprit	 E 22	 ClassiX	 Standard 55	 E2	 Event	 Esprit
					 E 22**	 F 100***	 ClassiX	

* An 80 mm adapter support ring is required for the installation of System 55 functions in the “British Standard” box

** max. 4-gang frame with: E 22 for flat mounting; Esprit aluminium [in all three variants], walnut-aluminium, brass, chrome and wenge wood

*** For use of the functions from System 55 in the F 100 switch range, a special intermediate plate is required

Gira switching, pressing, dimming

Automatically, with the press of a button or with a light touch: the British Standard range from Gira has the right solution for any task.

British Standard push button, 3-gang, 1-pole, 10 A



British Standard switch, 3-gang ON/OFF



British Standard switch, 3-gang, double 2 way



British Standard switch, 2 pole, 20 A



British Standard switch, 2 pole, 20 A with LED control light



British Standard switch, 45 A (with full cover plate)



Universal rotary dimmer



Series dimmer



Touchdimmer



Push button sensor 3, 1-gang



Push button sensor 3, 1-gang



Gira socket outlets

Gira offers a wide selection of socket outlets in order to meet all functional and country-specific requirements.

British Standard socket outlet, 13 A



British Standard socket outlet, can be switched off, 13 A



British Standard socket outlet, can be switched off, with LED control light, 13 A



British Standard socket outlet, round pin, 5 A



British Standard socket outlet, round pin, 15 A



British Standard fused outlet, can be switched off, 13 A



British Standard fused outlet, can be switched off, with LED control light, 13 A



British Standard socket outlet, 2-gang, 13 A



British Standard socket outlet, 2-gang, can be switched off, 13 A



British Standard socket outlet, 2-gang, can be switched off, with LED control light, 13 A



Safety-razor socket outlet for 2-gang cover frame without crossbar



Chinese socket outlet, 10 A



Chinese socket outlet, 16 A



2-gang socket outlet with chinese socket outlet 10 A and „EURO-US“ socket outlet, 10 A



Socket outlet with protective contact „EURO-US“, 16 A



Socket outlet with earth pin and child protection, 16 A



SCHUKO socket outlet with child protection, 16 A



Gira door communication system

For controlled access to reception areas. The automatic door opener with hands-free voice station is a convenient tool for example in delivery locations such as businesses and hotels: it automatically opens the door after pressing the bell button.

Surface-mounted home station video



Surface-mounted home station



Surface-mounted gong



Home station with colour TFT display




Home station



Gira Keyless In

Keyless In enables convenient access control in buildings.


Fingerprint



Keypad




Transponder



Gira KNX/EIB system

Various bus functions in the room can be operated via the push button sensors, making them ideal for use in conference and meeting rooms for example. Saved settings for light scenes, temperature, blinds or beamers can be called up directly with the press of a button.

Push button sensor 3plus, and push button sensor 3, 3-gang



Push button sensor 3, 1-gang



Push button sensor 3, 3-gang



Info display 2



Gira radio bus system

With the Gira radio bus system, the modernisation or expansion of existing electrical installations in buildings can be performed quickly, cleanly, quietly and economically. A broad spectrum of modern control options can be installed easily by wireless radio.

Radio dimmer



Radio room temperature sensor with clock



Radio automatic control switch



Radio control button



Radio wall transmitter, 3-gang



Gira blind control system

The manual control button offers convenient control possibilities for the raising and lowering of blinds. The electronic blind control executes this according to saved values: it operates the blinds automatically and according to time, or simulates presence in the building.

Blinds series switch



Key switch



Blinds control button



Electronic blind controller easy



Gira air-conditioning/heating control

The convenient way to achieve greater energy efficiency with heating according to your requirements. Heating or air-conditioning systems are switched off in the evening and on again at the right time in the morning. The room temperature controller with integrated time clock ensures that the heating valve is automatically activated. The function can also be simply retrofitted in the radio bus system.

Room temperature controller



Continuous regulator



Hygostat



Object regulator



Gira audio systems

From the Gira flush-mounted radio and connection sockets for loudspeakers to control of multi-room systems: with Gira, the audio system can be aesthetically and functionally integrated in the building technology.

RDS flush-mounted radio



Control unit for the Revox multiroom system



Stereo loudspeaker connection box



High-end loudspeaker plug connector WBT



Gira communication technology

The right connection for everything in offices and conference rooms: telephones, fax machines, answering machines, antenna cables and data networks.

TAE connection box with inscription space



Modular Jack/Western plug connector with inscription space



Coaxial antenna socket for TV/radio with additional SAT connection



Data cap with inscription space and D-Sub connector



USB data interface



Gira illumination and orientation

Information signs and path marking from Gira ensure good orientation within buildings. LED orientation lights always guarantee optimal visibility.


LED orientation light with pictogram



LED orientation light with slat element



LED signal light



Name plate/door plate



SCHUKO socket outlet with LED orientation light



Award-winning design is our programme

Gira develops and produces systems and products which set standards both in technology and design. Gira products have already received a host of international design awards.



DESIGN PLUS



The delivery results subject to countries specific assortments.

Gira Event

15
Colour aluminium/
anthracite



15



16



17

16
Anthracite/
anthracite

17
Pure white glossy/
pure white glossy

www.gira.com/event

Gira Esprit

01
Aluminium black/
colour aluminium



01



02

02
Aluminium brown/
cream white glossy




03




04

03
Walnut-aluminium/
pure white glossy

04
Brass/
pure white glossy



05



06

05
Aluminium/
anthracite

06
Chrome/
anthracite



07



08

07
Glass black/
colour aluminium

08
Glass mint/
colour aluminium



09



10

09
Glass white/
pure white glossy

10
Glass umber/
cream white glossy



11



12

11
Glass C black/
colour aluminium

12
Glass C mint/
colour aluminium



13



14

13
Glass C white/
pure white glossy

14
Glass C umber/
cream white glossy

www.gira.com/esprit

Gira Event Clear

18
Green/
pure white glossy



18



19




20

19
White/
pure white glossy

20
Black/
pure white glossy



21



22



23

21
Sand/anthracite

22
Brown/
cream white glossy

23
Aubergine/
colour aluminium

www.gira.com/event_clear

Gira Event Opaque

24
Mint/
pure white glossy



24



25



26

25
Blue/
pure white glossy

26
Red/
pure white glossy



27




28



29

27
Orange/
pure white glossy

28
White/
colour aluminium



30

29
Amber/
colour aluminium

30
Dark brown/anthracite

www.gira.com/event_opaque

Gira E2

31
Anthracite



31



32



33

32
Colour aluminium

31
Pure white glossy

Only for installation in round
flush-mounted box.

www.gira.com/e2

Gira Standard 55

34
Pure white glossy



34



35

35
Cream white glossy

Only for installation in
round flush-mounted box.

www.gira.com/standard55

Gira E22

36
Stainless Steel



36



37



38

37
Aluminum

38
Thermoplastic
[pure white glossy]

www.gira.com/e22

Gira F100

39
Pure white glossy



39



40

40
Cream white glossy


41
Colour platinum/
pure white glossy



41



42



43

42
Colour chrome/
pure white glossy

43
Colour brass/
cream white glossy

Only for installation in
round flush-mounted box.

For use of the functions from
System 55 in the F100 switch
range, a special intermediate
plate is required
[Order no. 0289 xx].

www.gira.com/f100

Gira ClassiX

44
Brass/brass,
pure white glossy



44



45

45
Bronze/bronze,
pure white glossy

46
Brass/black,
anthracite



46



47

47
Bronze/black,
anthracite

48
Brass/
cream white,
cream white glossy



48



49

49
Bronze/
cream white,
cream white glossy

www.gira.com/classix

Gira ClassiX Art

50
Brass/brass,
pure white glossy



50



51

51
Bronze/bronze,
pure white glossy

52
Brass/black,
anthracite



52



53

53
Bronze/black,
anthracite

54
Brass/
cream white,
cream white glossy



54




55

55
Bronze/
cream white,
cream white glossy

www.gira.com/classix_art

More about Gira at: www.gira.com you can find additional information about Gira and the Gira products.



www.gira.com

The Gira website provides you with information on the company and the entire Gira product range. The Gira products are presented with an illustration, a brief description, function and design examples and detailed technical specifications. Our extensive download area offers brochures, manuals, operating instructions etc. for downloading.



Intelligent building technology from Gira

The brochure shows the entire Gira product line and also provides basic information on each product.

Order no. 18601 10

Distributor

Gira, Giersiepen GmbH & Co. KG

Concept, design, editing

schmitz

Visuelle Kommunikation,
www.hgschmitz.de

Picture credits

Peter Miranski, Guido Löhner,
Cologne, 4, 5, 6, 8, 9, 10
schmitz Visuelle Kommunikation,
Wuppertal, 3, 7

Lithography

Damo Digital Technik, Krefeld

Printing

Gerschau und Kroth, Hannover

The delivery results subject to
countries specific assortments.

Subject to technical
modifications.

Possible colour variations
between images in this product
information and specific products
are due to printing processes and
cannot be avoided.

GIRA

Gira
Giersiepen GmbH & Co. KG
Electrical installation
systems

Industriegebiet Mermbach
Dahlienstraße
42477 Radevormwald

P.O. Box 1220
42461 Radevormwald

Germany

Tel +49(0)21 95-602-0
Fax +49(0)21 95-602-119

www.gira.com
info@gira.com

www.gira.com

Your Gira representative: